

Guerriero

Marble

Marini Dupré
BY DYNAMIC STONE



5 Textures | 5 Sizes | 5/8" Thickness

12" x 24", 16" x 32", 18" x 36"


24" x 24", 36" x 36"

Featured: Guerriero

| DCOF Testing | Results | Test | Results | Sizes |
|---------------|---------|--------------------------------------|------------------------|---|
| Century DCOF | 0.64 | Compression Breaking Load | 930 kg/cm ² | 12" x 24" x 5/8" Chevron Tile 4" x 12" |
| Elektron DCOF | 0.58 | Compression B.L. after Freezing Test | 952 kg/cm ² | 16" x 32" x 5/8" Plank 8" x FL |
| Leather DCOF | 0.51 | Bending Strength | 270 kg/cm ² | 18" x 36" x 5/8" Tile 4" x 16" |
| Micro DCOF | 0.62 | Volumetric Weight | 2715 kg/m ³ | 24" x 24" x 5/8" Hexagon Tile 8" |
| Monet DCOF | 0.39 | Water Absorption | 0.05% | 36" x 36" x 3/4" 2cm and 3cm Slabs Available |
| | | Apparent Porosity | 0.14% | Custom Sizes Available |
| | | Thermal Linear Expansion Coefficient | 5.4 106 | Minimum order quantity - 500 sf |
| | | Abrasion Test | 3.7 mm | |
| | | Impact Test | 50 cm | |
| | | Freeze-Defreeze Cycles | 48 Cycles | |
| | | Microscopic Properties | Calcite - 98% | |
| | | | Quartz - 1% | |
| | | | | Mosaics |
| | | | | Random Interlocking Mosaic |
| | | | | Stack 1" x 6" |
| | | | | Hexagon 4" |
| | | | | Custom Patterns Available |

Texture Options


Symbols




Century Texture




Elektron Texture



Leather Texture



Micro Texture



Monet Texture



Floor & Wall



Natural



Residential



Commercial