

# Sapho

Limestone

Marini Dupré  
By DYNAMIC STONE



5 Textures | 5 Sizes | 5/8" Thickness

12" x 24", 16" x 32", 18" x 36"

24" x 24", 36" x 36"

Featured: Sapho - Monet Texture

DCOF Testing	Results	Test	Results	Sizes
Century DCOF	0.71	Compression Breaking Load	930 Kg/cm <sup>2</sup>	12" x 24" x 5/8"    Chevron Tile 4" x 12"
Elektron DCOF	0.72	Compression B.L. after Freezing Test	870 Kg/cm <sup>2</sup>	16" x 32" x 5/8"    Plank 8" x FL
Leather DCOF	0.49	Bending Strength	126 Kg/cm <sup>2</sup>	18" x 36" x 5/8"    Tile 4" x 16"
Micro DCOF	0.60	Volumetric Weight	2520 kg/m <sup>3</sup>	24" x 24" x 5/8"    Hexagon Tile 8"
Monet DCOF	0.50	Water Absorption	2.3%	36" x 36" x 3/4"    2cm and 3cm Slabs Available
		Apparent Porosity	5.9%	Custom Sizes Available
		Thermal Linear Expansion Coefficient	5.3 106	Minimum order quantity - 500 sf
		Abrasion Test	4.0 mm	
		Impact Test	40 cm	<b>Mosaics</b>
		Freeze-Defreeze Cycles	48 Cycles	Random Interlocking Mosaic
		Microscopic Properties	Calcite -100%	Stack 1" x 6"
			Quartz - 0%	Hexagon 4"
				Custom Patterns Available

## Texture Options

## Symbols



Century Texture



Elektron Texture



Leather Texture



Micro Texture



Monet Texture



Floor & Wall



Natural



Residential



Commercial